



WALL LAMP SERIES

Patented product

**NEW ENERGY
APPLICATION
SLUTION**
2024



Product features:

- High brightness.
- High charging efficiency.



INNOVATION ELECTRICITY-FREE HIGH CHARGING EFFICIENCY



improved designed solar system to avoid low charging efficiency due to shadow on PV module or insufficient sunshine due to the vertical installation.



Product details



Die-casting
aluminum housing.



High transparent
PC cover.

**Aluminum body as the main materials
provides an anti-corrosion
protect to the product;
High luminious efficiency LED light source
with acrylic diffusers allow
the layering of light to be able to
perform even in outdoor senses.**



Product parameters:

Light source	Rated Power	12W
	Light source	LED SMD
	LED chip	Lumileds / Bridgelux
	Luminous efficiency	110lm/w
	Luminous flux.	1320lm
	Color temperature	2700-6500K
	CRI.	>75
	Beam angle	360 degree
Body	Shape	Square
	Material	aluminum 6061
	Size	220 x 220mm x 1000mm H
	Flange	inbuilt
	Installation	Surface
Solar system	Photovoltaic type	Polycrystalline silicon
	Rated Power	40W
	PV module	independent & replaceable
	Solar controller	inbuilt
	Working setting	12hrs working per day with programmed dimming setting
Battery system	Battery type	Lithium iron phosphate battery
	System voltage	3.2V
	Battery capacity	25Ah



Shipment





Packaging








Truck loading



Goods receipt











WALL LAMP SERIES

ABETTERLIGHT
ABETTERLIFE



ZHONGSHAN DAWN LIGHTING TECHNOLOGY CO.,LTD.

[Http://www.dawnlighting.net](http://www.dawnlighting.net)

Email: info@dawnlighting.net