


# WALL LIGHT SERIES


2024



INNOVATION  
ELECTRICITY-FREE  
HIGH CHARGING  
EFFICIENCY

## Product features:

- High brightness.
- High charging efficiency.






# PRODUCT DETAILS



Die-casting aluminum Housing.




High transparent PC cover.

## **INDUSTRIAL STYLE:**

Aluminum body as the materials  
provides an anti-corrosion  
protect to the product;  
High luminous efficiency LED light source  
with acrylic diffusers allow  
the layering of light to be able to  
perform even in outdoor senses.






1000K	2000K	3000K	4000K	5000K	6000K	7000K	10000K
Candle light	Tungsten light	Household light bulbs	Natural white	Daylight	Cool white	Overcast	Sky blue

## Product Parameters

Luminaire	Rated Power	15W x 3
	Light source	LED SMD
	LED chip	Lumileds / Bridgelux
	Luminous efficiency	160lm/w
	Luminous flux.	40W-6400lm
	Color temperature	2700-6500K
	CRI.	>75
Pole	Beam angle	165 x 70 degree
	Pole shape	Triangle straight
	Material	Extruded aluminum profile 6061
	Total height	4 meters (customization available)
	Cross section size	318x318x318mm
PV module	Flange size	550x550x550mm x T30mm
	Photovoltaic type	Polycrystalline / monocrystalline
	Power	300W
Battery system	Other function	Replaceable
	Battery type	Lithium iron phosphate battery
	System voltage	12.8V
	Battery capacity	48Ah







Shipment



Packaging



Truck loading



Goods receipt




- **By Shipping LCL/Container** 15-30 days depending on destination
- **By Carrier DHL/FED/UPS/ARMAX** 3-7days depending on destination
- **By Air Shipping** 7-10 days depending on destination





# LAWN LIGHT SERIES

A BETTERLIGHT  
A BETTERLIFE



ZHONGSHAN DAWN LIGHTING TECHNOLOGY CO.,LTD

[Http://www.dawnlighting.net](http://www.dawnlighting.net)

Email: [info@dawnlighting.net](mailto:info@dawnlighting.net)