


# LAWN LIGHT SERIES


2024




INNOVATION  
ELECTRICITY-FREE  
HIGH CHARGING  
EFFICIENCY

## Product features:


- High brightness.
- High charging efficiency.








## INDUSTRIAL STYLE:

Simple style, geometric structure,  
Die-cast aluminum material;  
High luminous efficiency LED modules  
has been applied here to intepretate our  
energy saving concept.



DESIGNED TO  
LEAVE A MARK





3000K



4000K




6500K



## Product Parameters

Luminaire	Rated Power	15W x 3
	Light source	LED SMD
	LED chip	Lumileds / Bridgelux
	Luminous efficiency	160lm/w
	Luminous flux.	40W-6400lm
	Color temperature	2700-6500K
	CRI.	>75
	Beam angle	165 x 70 degree
Pole	Pole shape	Triangle straight
	Material	Extruded aluminum profile 6061
	Total height	4 meters (customization available)
	Cross section size	318x318x318mm
	Flange size	550x550x550mm x T30mm
PV module	Photovoltaic type	Polycrystalline / monocrystalline
	Power	300W
	Other function	Replaceable
Battery system	Battery type	Lithium iron phosphate battery
	System voltage	12.8V
	Battery capacity	48Ah







Shipment



Packaging




Truck loading



Goods receipt







- **By Shipping LCL/Container** 15-30 days depending on destination
- **By Carrier DHL/FED/UPS/ARMAX** 3-7days depending on destination
- **By Air Shipping** 7-10 days depending on destination





# LAWN LIGHT SERIES

A BETTERLIGHT  
A BETTERLIFE



ZHONGSHAN DAWN LIGHTING TECHNOLOGY CO.,LTD

[Http://www.dawnlighting.net](http://www.dawnlighting.net)

Email: [info@dawnlighting.net](mailto:info@dawnlighting.net)